



# PRESSURE INFILTRATION CASTING MACHINE (P-CAST)

Production of metal matrix composites (MMCs) by gas pressure infiltration casting

## OUR SERVICES

- Infiltration or wetting of porous materials, fibers or particles with Al or Mg and its alloys
- Improvement of the mechanical properties, thermal conductivity or expansion coefficients
  - Graphite infiltration
  - Production of fiber composites (long and short fibers)
  - Wetting of ceramic particles

## TECHNICAL DATA

- **Manufacturer:** H.R. Edgar Machining & Fabrication
- **Max. operating pressure:** 100bar
- **Max. temperature:** 800°C
- **Max. vacuum:** 0,2mbar
- **Volume:** 23l
- **Geometries:**
  - Max. sample size: 100x160mm diameter
  - Max. sample size directed solidification: 17x78x160mm



AIT AUSTRIAN INSTITUTE  
OF TECHNOLOGY GMBH  
LKR Leichtmetallkompetenz-  
zentrum Ranshofen GmbH  
Josef Reiter  
Tel +43(0) 50550 6921  
josef.reiter@ait.ac.at